



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

989 Direct Injector Cleaner MF98900300A

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Additive

**1.3. Details of the supplier of the safety data sheet**

Company name:	TUNAP Deutschland Vertriebs GmbH & Co. Betriebs KG		
Street:	Bürgermeister-Seidl-Str. 2		
Place:	D-82515 Wolfratshausen		
Telephone:	+49 (0) 8171/1600 - 0	Telefax:	+49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com		
Internet:	www.tunap.com		

**1.4. Emergency telephone number:** +49 (0) 30 30 686 790 (Giftnotruf Berlin)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Aspiration hazard: Asp. Tox. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Harmful if inhaled.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Hazard components for labelling**

Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

2-Ethylhexyl nitrate

2-Ethylhexan-1-ol

Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

**Signal word:** Danger

**Pictograms:**





**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 2 of 12

**Hazard statements**

- H226 Flammable liquid and vapour.
- H302+H332 Harmful if swallowed or if inhaled.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe vapours.
- P280 Wear Eye protection.
- P273 Avoid release to the environment.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/container according to the official regulations.

**Special labelling of certain mixtures**

- EUH066 Repeated exposure may cause skin dryness or cracking.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	25 - < 50 %
	919-857-5 01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1; H226 H336 H304 EUH066	
27247-96-7	2-Ethylhexyl nitrate	25 - < 50 %
	248-363-6 01-2119539586-27	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H332 H312 H302 H411 EUH044 EUH066	
104-76-7	2-Ethylhexan-1-ol	5 - < 10 %
	203-234-3 01-2119487289-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335	
64742-94-5	Kohlenwasserstoffe, C10, Aromaten, <1 % Naphthalin	1 - < 3 %
	918-811-1 01-2119463583-34	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411 EUH066	

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 3 of 12

**General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

**After inhalation**

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

**4.2. Most important symptoms and effects, both acute and delayed**

Headache, nausea, dizziness, fatigue, skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 4 of 12

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- Observe instructions for use.
- Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.
- When using do not eat, drink, smoke, sniff.
- Wear personal protection equipment (refer to section 8).

**Advice on protection against fire and explosion**

- Keep away from sources of ignition - No smoking.

**Further information on handling**

- Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Keep container tightly closed. Observe legal regulations and provisions.

**Advice on storage compatibility**

- Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Further information on storage conditions**

- Store in a cool dry place. Observe legal regulations and provisions.

**7.3. Specific end use(s)**

- In use, may form flammable/explosive vapour-air mixture.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
27247-96-7	2-Ethylhexyl nitrate			
Worker DNEL, long-term		inhalation	systemic	0,35 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	1 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,025 mg/kg bw/day



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 5 of 12

**PNEC values**

CAS No	Substance	
	Environmental compartment	Value
27247-96-7	2-Ethylhexyl nitrate	
	Freshwater	0,0008 mg/l
	Marine water	0,00008 mg/l
	Freshwater sediment	0,00074 mg/kg
	Marine sediment	0,00074 mg/kg
	Micro-organisms in sewage treatment plants (STP)	10 mg/l
	Soil	0,000191 mg/kg

**Additional advice on limit values**

- a no restriction
- b End of exposure or shift
- c in long-term exposure: after several shifts
- d prior to next shift

STEL (EC) : Short Term Exposure Limit

TWA (EC): time-weighted average

U: Urea

B: Blood

**8.2. Exposure controls**

**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Eye/face protection**

Wear eye protection/face protection.

**Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

DIN EN 374

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

**Environmental exposure controls**

No information available.



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 6 of 12

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: liquid  
Colour: brown  
Odour: solvent like

**Test method**

pH-Value (at 20 °C): No information available.

**Changes in the physical state**

Melting point: not determined  
Initial boiling point and boiling range: > 165 °C  
Flash point: 47 °C ISO 3679

**Flammability**

Solid: not applicable  
Gas: not applicable

Lower explosion limits: 0,6 vol. %  
Upper explosion limits: 7 vol. %

**Auto-ignition temperature**

Solid: not applicable  
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,8444 g/cm<sup>3</sup> DIN 51757

Water solubility: The study does not need to be conducted  
because the substance is known to be  
insoluble in water

**Solubility in other solvents**

not determined

Partition coefficient: not determined

Viscosity / dynamic: No information available. DIN 53019-1

Viscosity / kinematic:  
(at 40 °C) < 7 mm<sup>2</sup>/s DIN EN ISO 3104

Flow time: No information available.

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Flammable.



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 7 of 12

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Concentrated vapours are heavier than air. Vapours may form explosive mixtures with air.

**10.4. Conditions to avoid**

Danger of explosion. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

**10.5. Incompatible materials**

Oxidizing agents. Pyrophoric or self-heating substances.

**10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**Further information**

Do not mix with other chemicals.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Harmful if swallowed or if inhaled.

**ATEmix calculated**

ATE (oral) 1923,1 mg/kg; ATE (inhalative aerosol) 4,644 mg/l

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates			
	oral	LD50 > 5000 mg/kg	Rat	
	dermal	LD50 > 5000 mg/kg	Rabbit	
	inhalative (4 h) vapour	LC50 4951 mg/l	Rat	
27247-96-7	2-Ethylhexyl nitrate			
	oral	LD50 >9640 mg/kg	Rat	
	dermal	LD50 >4820 mg/kg	Rabbit	
	inhalative (4 h) vapour	LC50 11 mg/l	Rat	
	inhalative aerosol	ATE 1,5 mg/l		
104-76-7	2-Ethylhexan-1-ol			
	oral	LD50 2047 mg/kg	Rat	
	dermal	LD50 > 3000 mg/kg	Rat	
	inhalative (4 h) vapour	LC50 11 mg/l	Rat	
	inhalative aerosol	ATE 1,5 mg/l		
64742-94-5	Kohlenwasserstoffe, C10, Aromaten, <1 % Naphthalin			
	oral	LD50 >5000 mg/kg	Rat	
	dermal	LD50 >2000 mg/kg	Rabbit	
	inhalative (4 h) aerosol	LC50 > 5 mg/l	Rat	



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 8 of 12

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

**STOT-single exposure**

May cause drowsiness or dizziness. (Hydrocarbons, C9 - C 11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

**STOT-repeated exposure**

Repeated exposure may cause skin dryness or cracking.

**Aspiration hazard**

May be fatal if swallowed and enters airways. (Hydrocarbons, C9 - C 11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates; Kohlenwasserstoffe, C10, Aromaten, <1 % Naphthalin)

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

**SECTION 12: Ecological information**

**12.1. Toxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.





**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 9 of 12

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	
27247-96-7	2-Ethylhexyl nitrate				
	Acute fish toxicity	LC50 2 mg/l	96 h	Danio rerio	Study report (2010)
	Acute algae toxicity	ErC50 > 12,6 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1998)
	Acute crustacea toxicity	EC50 > 12,6 mg/l	48 h	Daphnia magna	Study report (1998)
	Acute bacteria toxicity	(> 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)
104-76-7	2-Ethylhexan-1-ol				
	Acute fish toxicity	LC50 17,1 mg/l	96 h	Leuciscus idus (golden orfe)	
	Acute algae toxicity	ErC50 11,5 mg/l	72 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 39 mg/l	48 h	Daphnia magna	
64742-94-5	Kohlenwasserstoffe, C10, Aromaten, <1 % Naphthalin				
	Acute fish toxicity	LC50 >1-<=10 mg/l	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 >1-<=10 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 >1-<=10 mg/l	48 h	Daphnia magna	

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	5
27247-96-7	2-Ethylhexyl nitrate	5,24
104-76-7	2-Ethylhexan-1-ol	2,9

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 10 of 12

**Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Waste disposal number of waste from residues/unused products**

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

**Waste disposal number of used product**

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

**Waste disposal number of contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number:** UN 3295  
**14.2. UN proper shipping name:** HYDROCARBONS, LIQUID, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3  
Classification code: F1  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 30  
Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 3295  
**14.2. UN proper shipping name:** HYDROCARBONS, LIQUID, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3  
Classification code: F1  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number:** UN 3295  
**14.2. UN proper shipping name:** HYDROCARBONS, LIQUID, N.O.S. (2-Ethylhexyl nitrate)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 11 of 12

Marine pollutant:	yes
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number:</b>	UN 3295
<b>14.2. UN proper shipping name:</b>	HYDROCARBONS, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	A3 A324
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:	yes
Danger releasing substance:	2-Ethylhexyl nitrate

**14.6. Special precautions for user**

Warning: Combustible liquid.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): EU/CH 84,76/49,24

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:

Calculation method.

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.



**989 Direct Injector Cleaner MF98900300A**

Print date: 03.11.2017

Product code: 11AMF98900300A

Page 12 of 12

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1,2.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*